THE UNITED SHATES OF AMERICA

TO ALL TO VHOM THESE PRESENTS SHALL COME;

ALPE Jechnology Holding Company, TEG.

HECCES, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR VICTORIANG IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE OVER PURPOSE, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE ABOVE USE, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT SEED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

COTTON

'02T57R'

In Testimann Marcot, I have hereunto set my hand and caused the seal of the Mant Unricty Frotection Office to be affixed at the City of Washington, D.C. this nineteenth day of September, in the year two thousand and five.

Allerte

Commissioner

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service

ry of Agriculture

PEPLACEMENT 8/13/C FORM APPROVED - OMB NO. 0581-0055 LA

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE

SCIENCE AND TECHNOLOGY DIVISION - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

The following statements are made in accordance with the Privacy Act of 1974 (5U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426),

(mendenens and mormation oo	icolici) balaci; clatei	non on reverse,			*	
1. NAME OF OWNER				TEMPORARY DESIGNATION EXPERIMENTAL NAME	ON OR 3, V	ARIETY NAME
D&PL Technology Holding C	Company, LLC.			02T57R		'02T57R'
4. ADDRESS (Street and No., or R.F.D. No., City	, State, and ZIP Cod	e, and Country)		5. TELEPHONE (include area	code)	
PO Box 157				(662) 742-41	, ,,	O NUMBER
100 Main Street						401100117
Scott, Mississippi 38772 USA				6. FAX (include area code)	2	00400117
			•	(662) 742-31		NG DATE
7. IF THE OWNER IS NOT A "PERSON" GIVE F ORGANIZATION (corporation, partnership, as	1.	. IF INCORPORATE STATE OF INCOR!	•	9. DATE OF INCORPORATIO	2	1/23/04
Limited Liability Compa	ny	Delaware		February 29, 1	1996	
10. NAME AND ADDRESS OF OWNER REPRE	SENTATIVE(S) TO	SERVE IN THIS APPL	JCATION. (First pe	son listed will receive all papers)		ILING AND EXAMINATION EE:
Delta and Pine Land Compar	ту					
Kelly Casavechia					\$	3,652.00
P.O. Box 157 Scott, MS 38772						NATE 2/23/00/
00011, 1810 00772						ERTIFICATION FEE:
						18h 00
					\$	602.00
						DATE 2 23 04 PERTIFICATION FEE: 682.00 PATE 8 8 05
11. TELEPHONE (include area code) 12. FAX	(include area code)		13. E_MAIL			(Common Name)
(662) 742-4141 15. GENUS AND SPECIES NAME OF CROP	(662) 742-			chia@deltaandpine.com	La la TUENA	COTTON
15. GENGGAND SI EGIEGNAND OF GROP		16. PAMILY	NAME (Botanical)		HYBRID?	ETY A FIRST GENERATION
Gossypium hirsutu	<u>ım</u>		Malvacae		□Υ	ES XNO
 CHECK APPROPRIATE BOX FOR EACH AT instructions on reverse). 	TACHMENT SUBMI	TTED (Follow		S THE OWNER SPECIFY THAT SE		
a. 🗶 Exhibit A. Origin and Breeding History	of the Variety			TIFIED SEED? (See Section 83(a)	or the Flant Variety From	ection Act)
 b. x Exhibit B. Statement of Distinctness c. x Exhibit C. Objective Description of the 	Variety			YES (If "yes", answer items 20 and 21 below)	X NO (If "no", go to item 22)
d. X Exhibit D. Additional Description of the	-		20. DOE	S THE OWNER SPECIFY THAT SEED	OF THIS VARIETY BE L	IMITED AS TO NUMBER
e. X Exhibit E. Statement of the Basis of the f. X Voucher Sample (2,500 viable untreate				ENERATIONS?		
verification that tissue culture will be de				YES	XNO	
repository) g. X Filing and Examination Fee (\$2,450), r	anda navahia ta "Tra	neuror of the Lipited	21. IF "Y	ES" TO ITEM 20, WHICH CLASSES	OF PRODUCTION BE	YOND BREEDER SEED?
States" (Mail to the Plant Variety Protect		ascret of the Officed		FOUNDATION REG	SISTERED	CERTIFIED
22. HAS THE VARIETY (INCLUDING ANY HARVI FROM THIS VARIETY BEEN SOLD, DISPOS				E VARIETY OR ANY COMPONENT O PERTY RIGHT (PLANT BREEDER'S R		CTED BY INTELLECTUAL
OTHER COUNTRIES?				<u></u>	,·	
YES X NO IF YES, YOU MUST PROVIDE THE DATE OF	FIRST SALE DISP	OSITION TRANSFER	R OB USE IEVI	XYESNO ES, GIVE COUNTRY, DATE OF FILI	NG OD ISSUANCE AN	D ASSIGNED
FOR EACH COUNTRY AND THE CIRCUMST				ERENCE NUMBER. (Please use sp		
 The owners declare that a viable sample of ba for a tuber propagated variety a tissue culture 					cordance with such regi	ulations as may be applicable, or
The undersigned owner(s) is(are) the owner of				nd believe(s) that the variety is new,	distinct, uniform, and s	table as required in Section 42,
and is entitled to protection under the provision		•				
Owner(s) is(are) informed that false represent	ation nerein can jeop	ardize protection and	result in penalties. SIGNATURE OF O	WNER /		
da. b.			11/1	in I fin	<u>e</u>	
NAMÉ (Please print or type)			NAME (Please print		· · · · · · · · · · · · · · · · · · ·	
Lawrence Burdett CAPACITY OR TITLE	DATE		William V			DATE
		17-04			•	2-17-04
Cotton Breeder	4	11-01	Vice Pres	dent/Dir.of Research		<u> </u>

GENERAL: To be effectively filed with the Plant Variety Protection Office (PVPO), ALL of the following items must be received in the PVPO: (1) Complete application form signed by the owner; (2) completed exhibits A, B, C, E; (3) for a seed reproduced variety at least 2,500 viable untreated seeds, for a hyb variety at least 2,500 untreated seeds of each line necessary to reproduce the variety, or for tuber reproduced varieties verification that a viatin the sense that it will reproduce an entire plant) tissue culture will be deposited and maintained in an approved public repository; (4) check drawn on a U.S. bank for \$2,70 (\$320 filing fee and \$2,385 examination fee), payable to "Treasurer of the United States See Section 97.6 of the Regulations and Rules of Practice.) Partial applications will be held in the PVPO for not more than 90 days, then retrumed to the applicant as unfiled. Mail application and other requirements to Plant Varie Protection Office, AMS, USDA, Room 500, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initiated and dated. DO NOT I masking materials to make corrections. If a certificate is allowed, you will be requested to send a check paybable to "Treasurer of the United States" in the amoi of \$320 for issuance of the certificate. Certificates will be issued to owner, not licensee or ager

Plant Variety Protection Office Telephone: (301) 504-5518 FAX: (301) 504-5291

Homepage: http://www.ams.usda.gov/science/pvpo/pvp.htrr

ITEM

- 18a. Give: (1) the genealogy, including public and commercial varieites, lines, or clones used, and the breeding metho
 - (2) the details of subsequent stages of selection and multiplication
 - (3) evidence of uniformity and stability; and
 - (4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 18b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If t new variety is most similar to one variety or a group of realted varietie
 - (1) Identify these varieties and state all differences objectively
 - attach statistical data for characters expressed numerically and demonstrate that these are clear differences; a
 - (3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctnes
- 18c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as complete as possible to describe your variety
- 18d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. U comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disearesistance, etc.
- 18e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPI
- 19. If "Yes" is specified (seed of this variety be sold by variety name only, as a class of certified seed), the applicant MAY NOT reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant n change the choice. (See Regulations and Rules of Practice, Section 97.103).
- 22. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
- 23. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.
- 21. CONTINUED FROM FRONT (Please provide a statement as to the limitation and sequence of generations that may be certified.)
- 22. CONTINUED FROM FRONT (Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.
- 23. CONTINUED FROM FRONT (Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).)
 ROUNDUP READY® cotton:

These seeds are covered under U.S. Patents 5,633,435; 5,352,605; 5,530,196; 5,188,642; 4,940,835; 5,717,084; 5,728,925; and 5,804,425.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner presentative during the life of the application/certificate. There is no charge for filing a change of address. The fee for filing a change of ownership assignment or any modification of owner's name is specified in Section 97.175 of the regulations (See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.)

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority. For example, for agricultural a vegetable crops, contact: Seed Branch, AMS, USDA, Room 213, Building 306, Beltsville Agricultural Research Center-East, Beltsville, MD 2070; Telephone: (301) 504-8089. http://www.ams.usda.gov/lsg/seed/ls-sd.htm

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to repond to a collection of information unless it displays a valid OMS control number. The valid OMS control number for this collection of information is (0581-0055). The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U. S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

S&T -470 (04-01) designed by the Piant Variety Protection Office with WordPerfect 6,0a. Replaces STD-470 (02-99) which is obsolete

D&PL's APPLICATION FOR:

EXHIBIT A - Origin and Breeding History

02T57R is derived from the incorporation of the Monsanto Company's proprietary transgene, event 1445 patented as Roundup Ready ®, into experimental strain SG 95-555.

SG 95-555 was created from a cross of MO195/DP5415 and subsequent pedigree breeding through the F₅ generation at Maricopa, AZ. by Dr. William Sappenfield.

02T57R was developed though backcross breeding using SG 95-555 as the recurrent parent. The F_1 , BC_1 , and BC_2 , crosses were made in Delta and Pine Land Company's greenhouse in Scott, MS. BC_2F_1 plants were grown and selfed in the greenhouses located at Scott, MS. BC_2F_2 plants were grown and selfed in the field near Puntarenas, Costa Rica.

SG95555[1445]-00BC2F3 progeny rows were grown at Scott, MS in the summer of 2000. Progeny were selected for the "Roundup Ready Gene" in a homozygous form, the negative presence of the "BollGard Gene" and promising agronomic traits. The line SG95555[1445]-00BC2F3-189, subsequently tested as 02T57R, was sent to winter nursery in Costa Rica for increase during the 2000-01 season.

02T57R has been widely tested from 2001 to 2003 over a range of environments (years by locations).

STATEMENT OF UNIFORMITY AND STABILITY FOR 02T57R

02T57R is observed to be stable and uniform. No variants have been observed from 2000 to 2003.

D&PL's Application for:

EXHIBIT B – NOVELTY STATEMENT

Novelty Statement

02T57R is novel relative to DP 5415 RR, the variety 02T57R most closely resembles, because micronaire, 2.5% span length, uniformity percent, strength, maturity rating, string out rating, fall out rating, lint index, number of seeds per boll and seed index are significantly different at $P \le 0.05$.

02T57R most closely resembles DP 5415 RR. SGX 95-555, the recurrent parent, was derived from the cross of MO 195/DP 5415. DP 5415 was the recurrent parent of DP 5415 RR therefore similarities are expected

Summary of significant differences between 02T57R and DP 5415 RR

- 1. **Micronaire** is significantly lower, -.1**, P <= .002. See "Micronaire", Exhibit C. Table C1. Summary of Supporting Agronomic Data.
- 2. **2.5% Span Length** is significantly longer, .04***, P <= .000. See "2.5% Span Len", Exhibit C. Table C1. Summary of Supporting Agronomic Data.
- 3. **Uniformity Percent** is significantly higher, .6**, P <= .009. See "Uniformity Percent", Exhibit C. Table C1. Summary of Supporting Agronomic Data.
- 4. **Strength** is significantly higher, .5*, P <= .024. See "Strength", Exhibit C. Table C1. Summary of Supporting Agronomic Data.
- 5. **Maturity Rating** is lower, -.3**, P <= .010. See "Sting Out Rating", Exhibit C. Table C1. Summary of Supporting Agronomic Data.
- 6. **String Out Rating** is higher, .7***, P <= .000. See "Sting Out Rating", Exhibit C. Table C1. Summary of Supporting Agronomic Data.
- 7. **Fall Out Rating** is higher, .6***, P <= .000. See "Fall Out Rating", Exhibit C. Table C1. Summary of Supporting Agronomic Data.
- 8. **Lint Index** is higher, .8**, P <= .001. See "Lint Index", Exhibit C. Table C2. Plant Mapping Data. Data taken at Maricopa, AZ. in 2003.
- 9. **Seed Index** is higher, .8*, P <= .015. See "Seed Index", Exhibit C. Table C2. Plant Mapping Data. Data taken at Maricopa, AZ. in 2003.
- 10. Number of Seeds per Boll is lower, -3.1*, P <= .038. See "Number of Seeds per Boll", Exhibit C. Table C2. Plant Mapping Data. Data taken at Maricopa, AZ. in 2003.

REPRODUCE LOCALLY. Include form number and date on all reproductions.

Public reporting burden for this collection of information is estimated to average 30 minutes per response, including the time for reviewing instructions, searching data sources, gathering and maintaing the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Agriculture, Clearance Officer, OIRM, AG Box 7630, Jamie L. Whitten Building, Washington, D.C. 20250. When replying, refer to OMB No. 0581-0055 and form number in your letter. Under the PRA of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

The U.S. Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791. To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, D.C. 20250, or call (202) 720-7327 (voice) or (202) 720-1127 (TDD). USDA is an equal opportunity employer.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MD 20705

EXHIBIT C (COTTON)

OBJECTIVE DESCRIPTION OF VARIETY

COTTON (Gossypium spp.)

	`	OOTTOIT (Oossypium	3PP-)	
NAME OF APPLICANT(S)			TEMPORARY DESIGNAT 02T57R	ION VARIETY NAME
D&PL TECHNOLOG	Y HOLDING COMI		SG95555[1445]-00BC2F3-1	89
ADDRESS (Street and No., or R.I	F.D. No., City, State, and	ZIP Code)		OR OFFICIAL USE ONLY
P.O. Box 157 100 N. Main Street			P'	VPO NUMBER
Scott, Mississippi 387	772		1	200400117
Place the appropriate data that denumerical measurements, should rused to determine plant colors. Ch	epresent those that are ty	pical for the variety. R	oyal Horticultural Society or	any recognized color fan may be
SPECIFIC VARIETIES USED I varieties which are adapted to you	FOR COMPARISON A r area. One of the compa	S CHECK VARIETII	S IN THIS APPLICATIO the most similar variety used	N: Use standard regional check in Exhibit B.
Variety 1DP 5415 RR	Variety 2		Variety 3	·
	5. hirsutum L.			
*2. AREA(S) OF ADAPTATION	I: $(A = Adapted, NA = I)$	Not Adapted, NT = No	t Tested)	
A Eastern NT_ PlainsOther (Specify):	_A_ `	Delta Western	NT_ Central _A_ Arizona	NT_ Blacklands NT_ San Joaquin
3. GENERAL: Characteristics wh	nich are known to be vari	able but are still useful	for a meaningful description	of the variety.
	Application Variety	Comparison Variety	y 1 Comparison Variety	2 Comparison Variety 3
Plant Habit: Spreading, Intermediate, Compact	Intermediate	Intermediate		
Foliage: Sparse, Intermediate, Dense	Intermediate	Intermediate		
Stem Lodging: Lodging, Intermediate, Erect	Intermediate	Intermediate		
Fruiting Branch: Clustered, Short, Normal	Normal	Normal		
				ü

3. GENERAL: (continued)			,	200400117 REPLACEMENT 919104 LALL
Growth:				REPLACEMENT
Determinate, Intermediate, Indeterminate	_Determinate	_Determinate		111109 WALA
Leaf Color:				
Greenish yellow, Light green, Medium green, Dark green	_ Medium green _	_Light Green		
Boll Shape: Length less than widt	h,			
Length equal to width, Length more than width	_Length > width	_Length > Width	******	
Boll Breadth: Broadest at base, Broadest at middle	_Broadest @ Base	_Broadest @ Base	1.41	
*4. MATURITY: (50 % Open bo	lls; Preferred method; D	escribe method if different m	ethod was used.)	
- Method Used, Visual Rating (1=Early, 5=Late)	Visual Rating (1=Earlies	st, 5=Latest)	•	
5. PLANT:	***			
Cm to 1st Fruiting Branch:				
(from cotyledonary node)	19.0	19.5		
No. of Nodes to 1st Fruiting Bran	nch:			
(excluding cotyledonary node)	6.3	6.0		
Mature Plant Height cm: (from cotyledonary node to terminal	al)105.8	104.8		
*6. LEAF: Upper most, fully expan				
Type: Normal, Sub Okra,				
Okra, Super Okra	Normal	Normal		
Pubescence: Absent, Sparse,				
Medium, Dense OR Trichomes/cm				
(Bottom surface excluding veins)	Medium	Sparse	······	
Nectaries: Present or Absent	Present	Present		
*7. STEM PUBESCENCE:				P ************************************
Glabrous, Intermediate, Hairy	Intermediate	Intermediate		
*8. GLANDS: (Gossypol) Absent,	Sparse, Normal, More T	Than Normal	V-VIII-	
Leaf:	Normal	Normal		
Stem:	Normal			
Calyx Lobe: (normal is absent)	Normal	Normal		
*9. FLOWER:				
Petals: Cream, Yellow	Cream	Cream		
Pollen: Cream, Yellow	Cream	Cream		***************************************
Petal Spot: Present, Absent	Absent	Absent		
&T-470-8 (6-98) designed by the Plant Vari				Daga 1

*10. SEED:			200400117
Seed Index: (g/100 seed, fuzzy basis)	10.4	9.6	REPLACEMENT 919/04 WALL
Lint Index: (g lint/100 seeds)	6.4	5.6	
*11. BOLL:			
Lint Percent:X_ Picked Pulled	39.1	39.0	
OR			
Gin Turnout: Picked Stripped		10 to an analysis of the state	
Number of Seeds per Boll	28.4	31.5	
Grams Seed Cotton per Boll	4.8	4.8	
Number of Locules per Boll			
Boll Type: (Stormproof, Storm Resistant, Open)	Open	Open	
12. FIBER PROPERTIES:	*		
Specify Method (HVI or other): H	IVI		***
* Length: (inches, 2.5% SL)	1.17	1.13	
* Uniformity: (%)	83.7	83,2	
* Strength, T1 (g/tex)	31.2	30.7	
* Elongation, E1 (%)	13.5	13.7	
* Micronaire:	4.5	·	
Fineness (Source)			
		= Moderately Susceptible, MR = Moderately	
NT Alternaria mad		_NT_ Fusarium W	
NT Anthracnose		 _NT_ Phymatotric	
NT Ascochyta Blig	ght	¸ _NT_ <i>Pythium</i> (sp	
_NT_Bacterial Bligh	nt (Race 1)	_NT_ Rhizoctonia	
NT Bacterial Bligh		NT_ Southweste	
_NT_Bacterial Bligh	•	NT_ Thielayion	
5	. ————/		

13. DISEASES: (continued)	2004	100117
NT Diplodia Boll Rot		CETAENT 104 LALL
NT Other (specify)		· (
14. NEMATODES, INSECTS AND PESTS: (NT = Not Tested, S = Susceptible R = Resistant)	le, MS = Moderately Susceptible, MR = Mod	lerately Resistant,
NT Root-Knot Nematode	_NT_ Reniform Nematode	
NT Boll Weevil	_NT_ Grasshopper (specify species):	
NT Bollworm	_NT_ Lygus (specify species):	
NT Cotton Aphid	_ S _ Pink Bollworm	
NT Cotton Fleahopper	_NT_ Spider Mite (specify species):	
NT Cotton Leafworm	_NT_ Stink Bug (specify species):	
NT Cutworm (specify species):	_NT_ Thrips (specify species):	
_S _Fall Armyworm	_S _ Tobacco Bud Worm	
Other (specify):		

15. COMMENTS: Present any additional information that cannot adequately be described in 1 through 13 which significantly distinguishes your variety.

0.64 28.80 0.0001

0: 7:

Response to E-mail Request for F-test Analysis dated 6/18/04

D&PL TECHNOLOGY HOLDING COMPANY, LLC. PVP APPLICATION FOR: 02T57R PV# 200400117 Table 1. Head to head comparisons of 02T57R with DP 5415 RR

Rating (1 - 5)

Fall Out

AR 8118 PR

Test Description		I Lint Percent	_	Micronaire	40000	١			į	-		ŀ						
.			\dashv		ğ		Officiality	all y	Strength	<u> </u>	Elongation		Piant Height Inches	~	Maturity ² ating (1 - 5)	String Out	Out 3	Fall Ou
	əw			원원 :		ਬਬ		ਬਬ		<u>ਮ</u> ੁ		比	38		1515		2 27	
	eV i	878 8148	AYS	S L 79	978	9179	ЯVS	SIN	···	SID		415	1911	Я/	4 211	8	R 31:	Ŋ
		TS0	_	чO	TSO	dQ	TS0	3 d0	ETS(8 9C	912	2 40 		STS	79 d	79 TS	⊅ 9 d	78TS
2001 Caolidge	_		<u> </u>	5.1	1.22	1.18	84.3	84.4	╀	╀	╀	L	╀	io d	a!	;o :	ıa,	20
2002 Coolidge	_			4.5	1.15	1.15	79.2	77.1	27.8			14.0 34.4	40.6	9 6	٠, c	0.4	5.3	
2003 Coolidge		٠.,		4.9	1.22	1.21	84.7	_					_		n 0	4. c	0.0	
2003 Coolidge				5.4	1.19	1.16	83.9	83.5	31.9		12.6	12.7	·	י ה מי	0,0 1,0		0.0	
2001 Marana			e					-				 Ī		9 6	- c	2,4	5.3	
2001 Maricopa		_	_	4.8	1.2	1.17	83.1	84.2	30.5	31.3	11.6	7.0		9 6		0.4	0.0	
2002 Maricopa	_	-		4.0	1.21	1.19	82.5	83.3	_			14.3	2 27.5	¥ C	7 0	0 0	0 7	. —
2003 Maricopa	_	_	2 5.0	5.3	1.24	1.22	85.2	84.9	33.5			_	_		9 0	2 10	0.2	
2003 Maricopa			_	5.2	1.22	1.24	85.5	84.1		_	_	1.1		3 6	· ·	7.7	, i	
Z00Z Bambridge		-		4.9	1.18	1.14	85.3		30.9			14.5 37.0	36.0	, c	2 6	0 4	0 0	1
2003 Bainbridge			_	4.2	1.14	1.10	83.7	82.9		-,-					7	9 6	0 0	0 0
ZUU3 Stafesboro				4, &	1.12	111						15.1 39.0				2.0	2 9	. c
2002 LITTON		_		G	1.17	1.09		_		28.1	-				20	2 6		0.0
2002 HIDDII	GA 341 FUZU3	_		o. (1.16	Ξ				_		13.7 57.0	63.3	4.0	4.0		2 0	2 0
2003 Millacocheo	5 6	0.387 0.387		4 . V 1	1.16	=									-	80	, LC	, r
2003 Willaconchee	§ 6			, <u>,</u>	27.7			_				13.9 38.3	3 37.0			1.8	1.8	0.
2002 Newellton	5 ≤		7 4	† 0 †	1.14	2 5	03.0	23.2								1.8	6.	5.
2003 Newellton	_			7.4	- 4	_			0.00							2.7	9.	2.3
2003 Wisner	LA 34W10402			, ,	9 9			-		200	12.1	12.7 37.6	36.4					4.
2002 Panther Burn	MS 23PB0417	0.394 0.401		4.5	12.	_	_				-	_		9 0	ω c	9.0		6
2003 Panther Burn	Ş	0.404 0.403	•	4.5	1.15							5.6		γ.α		n n	2.4	6,7
2002 Panther Burn	≨		3 4.4	4.8	1.15	_	83.0	84.5				13.3					r.	0, 0
2003 Panther Burn	SE	0	_	4.5	1.15	11		82.6	33.1			3.5				2	C.2	7 0
Z003 Scott			_	<u>4.</u>	1.19	_			32.5	31.4	_	13.4 44.4	40.0	2.8	7 E	ď	7.0	0 0
2002 Hartsville		$\overline{}$	4.4	4.8	1.1					30.8	14.1			3.6	3.8		. 4 	i i
ZOUS TRAILSVIILE	3C 34HV0109			4. 2i	1.19		_			<u>.</u>		14.6 37.4		2.6	3.5	2.5	2.5	
2003 LRG	TX 2047000156	0.357 0.353	2	, r , c	1.17	5.5	76.7	75.4	28.2	26.7	14.5 14	14.7 44.3	3 47.0			2.3	20	23
Average		_	Ľ	4.58	1.173	士	1	+	1.	1.	12 40 42 87	87 20 00	07 07	-	8	1		
No. Comparisons		29		89					니뜻	┿		┿		3. 7	7.25	2.89	220	2.21
Difference		0.0011	9	9	0.0397		0.59	_	0.46		-0.18		.1.4R	- 5	- 4	67 5		9
Fratio - Analysis of Variance	fariance	0.35	Ġ	62	70.80	-	00.00	_	00.7			•		i _	0	5	-	0.64
Drobohility of difference P to a						-	2	-	07.4	_	2.60		2.94		874	40 40		

¹⁼Early maturing , 5=Late maturing

¹⁼Seed cotton held tight in Boll, 5=Seed cotton held toose in Boll ¹Plant Height Rating (1-5): 1=Short plant, 5=Tall plant
² Maturity Rating (1-5): 1=Early maturing , 5=Late m
³String Out Rating (1-5): 1=Seed cotton held tight in E
⁴ Fall Out Rating(1-5): 1=Cotton stays in boll, 5= Cc

Exhibit C. Table C1 was derived from the following tests conducted by Delta and Pine Land Co.

Fest Name						_	int Percent	cre	Micronaire	#	Uniformity	gth	Elongation	lant Height (In)	Maturity (Rate)	String Out (Rate)	Fall Out (Rate)
lest l	/ear		City	State	Entry	Name	t	Lint/Acre	Micro	Lenght	Pif6	Strength	lon g	lant	Matur	String	_a≣ 0
11CO0720	2001	Coolidge		AZ		02T57R	0.404	<u> </u>			84.3				3.5	4.0	_=_
11CO0720		Coolidge		ΑZ		DP 5415 RR	0.394	1717							3.7	2.3	
11CO0720	2001	Coolidge		ΑZ	101	GMEAN		1628							3.0	3.6	
11CO0720	2001	Coolidge		ΑZ	104	LSD(.05)	0.009	198	0.2	0.02	0.7	1.2	0.8		0.9	1.1	
11CO0720	2001	Coolidge		ΑZ	105		1.545	9	2.5	1.41	0.6	2.7	5.7		21.9	21.7	
11CO0720		Coolidge		ΑZ	106	N	3.000	3	3.0	3.00	3.0	3.0	3.0		3.0	3.0	
23CO0706	2002	Coolidge		ΑZ	27	02T57R	0.404	1725	4.5	1.15	79.2	27.8	14.3	34.4	2.3	4.3	
23CO0706	2002	Coolidge		ΑZ		DP 5415 RR	0.390	1785	4.5	1.15	77.1	30.2	14.0	40.6	3.3	3.0	
23CO0706		Coolidge		ΑZ		GMEAN		1616	4.5	1.14	80.4	28.6	13.1	41.2	3.2	3.2	
23CO0706		Coolidge		ΑZ		LSD(.05)	0.017	247	0.3	0.04	3.1	1.9	1.0	9.4	8.0	0.7	
23CO0706		Coolidge		ΑZ	105		3.574	13	6.3	2.87	3.3	5.6	6.2	19.4			
23CO0706		Coolidge		ΑZ	106		4.000			4.00		4.0	4.0	4.0	4.0	4.0	
31CO0725		Coolidge		ΑZ		DP 5415 RR	0.387					33.5	14.4		3.8	3.0	
31CO0725		Coolidge		ΑZ		02T57R	0.395								3.0	3.5	
31CO0725		Coolidge		ΑZ		GMEAN	0.382										
31CO0725		Coolidge		ΑZ		LSD(.05)	0.008			0.03	0.9	1.8	0.9				
31CO0725		Coolidge		ΑZ	105		1.804	_		1.99	0.9	4.8	5.8				
34CO0707		Coolidge		AZ		02T57R	0.387					31.9			3.5	2.3	
34CO0707		Coolidge		ΑZ		DP 5415 RR	0.377	1434			83.5	31.5	12.7		3.7	2.3	
34CO0707		Coolidge		ΑZ		GMEAN	0.399										
34CO0707		Coolidge		ΑZ		LSD(.05)	0.007			0.02	0.7	1.4	0.7				
34CO0707		Coolidge		AZ	105		1.877		2.8	2.00	0.9	4.8	5.8				
11MR0721		Marana		AZ		02T57R	0.377								3.0	4.0	
11MR0721		Marana		ΑZ		DP 5415 RR	0.363								4.0	2.0	
11MR0721		Marana		ΑZ		GMEAN	0.384								3.1	3.2	
11MR0721		Marana		ΑZ		LSD(.05)	0.012	183							3.1	3.2	
11MR0721		Marana		ΑZ	105		2.324	9									
11MR0721		Marana		AZ	106		3.000	3							<u> </u>		
11MA0719		Maricopa		AZ		02T57R	0.379						11.6		2.7	3.0	
11MA0719		Maricopa		AZ		DP 5415 RR	0.369						11.9		3.7	2.0	
11MA0719		Maricopa		ΑZ		GMEAN	0.379						10.8		2.9	2.7	
11MA0719 11MA0719		Maricopa		ΑZ		LSD(.05)	0.014			0.03	0.7	1.2	0.7		0.6	0.5	
11MA0719 11MA0719		Maricopa Maricopa	•	AZ AZ	105 106		2.643			1.60 3.00	0.6 3.0	2.9 3.0	4.6 3.0			14.2	
23MA0705		Maricopa Maricopa		AZ.		02T57R	3.000 0.404			1.21				21.0	3.0 2.5	3.0	
23MA0705		Maricopa Maricopa		AZ. AZ		02157H DP 5415 RR	0.404						15.0 14.3		2.5 3.3	2.0	
23MA0705		Maricopa		ΑZ		GMEAN	0.404								3.7	2.9	
23MA0705		Maricopa Maricopa		ΑZ		LSD(.05)	0.404			0.04	2.8	1.6	1.0	6.1	0.6	0.6	
23MA0705		Maricopa Maricopa		ΑZ	105		6.594			2.60	2.9	4.4		10.9			
23MA0705		Maricopa		ΑZ	106		4.000			4.00	4.0	4.0	4.0	4.0	4.0	4.0	
31MA0726		Maricopa		AZ.		DP 5415 RR	0.352							7.0	2.7	2.3	
31MA0726		Maricopa Maricopa		ΑZ		02T57R	0.332								2.7	2.7	
31MA0726		Maricopa				GMEAN	0.347								2.0	٤.,	
31MA0726		Maricopa Maricopa				LSD(.05)	0.008			0.03	1.1	1.8	0.6				
31MA0726		Maricopa		ΑZ	105		2.035			2.03	1.1	5.0	4.6				
34MA0730		Maricopa		AZ		02T57R	0.350								2.8	3.8	—
34MA0730		Maricopa		ΑZ		DP 5415 RR	0.355								3.0	2.5	
34MA0730		Maricopa				GMEAN	0.363								Ų.U	0	
34MA0730		Maricopa				LSD(.05)	0.025	145			1.3	1.9	1.2				
34MA0730		Maricopa			105		5.745			3.63	1.3	5.0	9.3				
						- -	31, 10	- ' '	٠.,	5.50			0.0	· · · · · · · · · · · · · · · · · · ·			

Exhibit C. Table C1 was derived from the following tests conducted by Delta and Pine Land Co.

23BB0214 2002 Bainbridge GA 40 0P 5415 RR 0.48 1099 4.9 1.14 86.7 31.0 15.0 2.8 2.5 1.5 27.4 23BB0214 2002 Bainbridge GA 101 CVTSTP 0.48 1059 4.9 1.14 86.7 31.4 20.1 18.2 2.5 1.5 2.8 28BB0214 2002 Bainbridge GA 101 CVTSTP 0.38 1.48 1.48 1.8 3.3 3.9 1.8 2.7 2.8 1.8 2.8 2.9 2.8 2.8 2.8 2.8 2.8 2.8 2.8 2.8 2.8 2.8								# #							ht (In)	tate)	(Rate)	ate)
23BB0214 2002 Bainbridge	Vame	İ						ercer	cre	naire	=	rmity	gth	ation	Heigl	rity (F) Out	out (R
23BB0214 2002 Bainbridge	Test !	Year		City	State	Entry	Name	Lint P	Lint/A	Micro	Leng	Unifo	Stren	Elong	Plant	Matur	String	Fall C
23BB0214 2002 Bainbridge	23BB0214	2002	Bainbridge		GΑ	27	02T57R	0.401	1256	4.7	1.18	85.3	30.9	13.6	37.0	2.8	2.5	1.5
23BB0214 2002 Bainbridge GA 104 LSD(05) 0.007 183 0.1 0.02 1.8 1.2 0.7 4.8 0.5 0.5 0.6 28BB0214 2002 Bainbridge GA 105 CV 1.501 11 2.6 1.43 1.8 3.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4			•					0.418										
23BB0214 2002 Bainbridge GA 105 CV 1.501 11 2.6 1.43 1.8 3.3 4.3 9.7 26.1 15.1 27.4			•															
2002 Bainbridge GA 108 N																		
34BB0205 2003 Bainbridge GA 11 02T67R 0.388 1486 4.1 1.14 83.7 31.0 14.3 37.0 2.0 1.3 34BB0205 2003 Bainbridge GA 16 DP 5415 RR 0.483 1447 4.2 1.16 82.9 30.1 15.2 35.5 1.0 1.0 34BB0205 2003 Bainbridge GA 101 GMEAN 0.403 1447 4.2 1.16 84.1 31.6 13.4 38.0 1.9 1.2 34BB0205 2003 Bainbridge GA 105 CV 2.115 15.5 2.2 65 1.0 4.0 5.2 10.8 22.6 27.2 34BB0205 2003 Bainbridge GA 105 CV 2.115 15.5 2.2 65 1.0 4.0 5.2 10.8 22.6 27.2 34BB0205 2003 Bainbridge GA 105 CV 2.115 15.5 2.2 65 1.0 4.0 5.0 4.0 4.0 4.0 4.0 34SB0209 2003 Statesboro GA 10 GP57R 0.374 964 4.4 1.12 83.7 30.8 15.1 39.0 2.0 34SB0209 2003 Statesboro GA 101 GMEAN 0.400 1115 4.1 18.1 2.3 1.0 1.0 34SB0209 2003 Statesboro GA 101 GMEAN 0.400 1115 4.1 18.1 12.4 5.0 4.0 4.0 34SB0209 2003 Statesboro GA 101 GMEAN 0.400 1115 4.1 18.1 12.4 5.0 4.0 5.4 34SB0209 2003 Statesboro GA 104 LSD(.05) 0.009 180 0.2 0.04 4.0 4.0 4.0 4.0 4.0 4.0 34SB0209 2003 Statesboro GA 105 CV 1.873 12 32 2.98 1.4 4.6 6.7 9.0 19.7 2.99 34SB0209 2003 Statesboro GA 105 CV 1.873 12 32 2.98 1.4 4.6 6.7 9.0 19.7 2.99 34SB0209 2003 Statesboro GA 105 CV 1.873 12 32 2.98 1.4 4.6 6.7 9.0 19.7 2.99 34SB0209 2003 Statesboro GA 105 CV 1.873 12 32 2.98 1.4 4.6 6.7 9.0 19.7 2.99 34SB0209 2003 Statesboro GA 105 CV 1.873 12 32 2.98 1.4 4.6 6.7 9.0 19.7 2.99 34SB0209 2003 Statesboro GA 105 CV 1.875 1.8 4.4 1.17 8.7 2.8 14.7 2.8 3.1 2.3 2.3 2.9 2.0 2.1 2.3 2.0 2.3																		
34BB0205 2003 Bainbridge GA 16 DP 5415 RP 0.383 17.0 4.2 1.10 82.9 30.1 15.2 35.5 1.0 1.0 34BB0205 2003 Bainbridge GA 101 GMEAN 0.403 147 4.2 1.15 84.1 31.6 13.4 38.0 1.9 1.2 34BB0205 2003 Bainbridge GA 105 CV 2.115 15 52 2.65 1.0 4.0 4.0 4.0 4.0 4.0 34BB0205 2003 Bainbridge GA 105 CV 2.115 15 52 2.65 1.0 4						-										4.0		
34BB0205 2003 Bainbridge							-											
34BB0205 2003 Bainbridge			•															
34BB0205 2003 Bainbridge GA 105 CV 2.115 15 5.2 2.65 1.0 4.0 5.2 10.8 22.6 27.2																		
34SB0209 2003 Statesboro GA 106 N 4.000 4.4 0, 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
34SB0209 2003 Statesboro GA 11 02T57R 0.374 964 4.4 1.12 83.7 30.8 15.1 39.0 2.0 2.0 34SB0209 2003 Statesboro GA 101 GMEAN 0.400 1115 4.3 1.14 84.1 32.5 14.6 42.2 1.9 1.4 34SB0209 2003 Statesboro GA 104 LSD(.05) 0.009 160 0.2 0.04 1.4 1.8 1.2 4.5 0.4 0.5 34SB0209 2003 Statesboro GA 105 CV 1.873 12 3.2 2.98 1.4 4.6 6.7 9.0 19.7 29.3 34SB0209 2003 Statesboro GA 105 CV 1.873 12 3.2 2.98 1.4 4.6 6.7 9.0 4.0 4.0 4.0 23TF0213 2002 Tifton GA 27 02T57R 0.393 1594 4.4 1.17 87.4 2.8 3.1 2.3 23TF0213 2002 Tifton GA 40 P5415 RR 0.408 1664 4.5 1.09 8.5 28.1 14.6 2.0 1.8 1.5 23TF0213 2002 Tifton GA 40 P5415 RR 0.408 1664 4.5 1.09 8.5 28.1 14.6 2.0 1.8 1.5 23TF0213 2002 Tifton GA 40 LSD(.05) 0.016 167 0.2 0.02 2.1 1.3 0.8 0.5 0.6 0.4 23TF0213 2002 Tifton GA 104 LSD(.05) 0.016 167 0.2 0.02 2.1 1.3 0.8 0.5 0.6 0.4 23TF0213 2002 Tifton GA 105 CV 3.387 9 3.5 1.53 2.1 3.9 4.7 2.6 116.6 15.1 23TF0213 2002 Tifton GA 106 N 4.000 4.0			•															
34SB0209 2003 Statesboro GA 16 DP 5415 RR 0.369 837 4.3 1.11 84.0 32.0 15.1 42.3 1.0 1.0 34SB0209 2003 Statesboro GA 101 GMEAN 0.400 1115 4.3 1.14 84.1 32.5 14.6 42.2 1.9 1.4 34SB0209 2003 Statesboro GA 105 CV 1.873 12 3.2 2.98 1.4 4.6 6.7 9.0 19.7 29.9 34SB0209 2003 Statesboro GA 106 N 4.000 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 34SB0209 2003 Statesboro GA 106 N 4.000 4.0			<u>~</u>															
34SB0209 2003 Statesboro GA 101 GMEAN 0.400 1115 4.3 1.14 84.1 32.5 14.6 42.2 1.9 1.4 34SB0209 2003 Statesboro GA 104 LSD(.05) 0.009 160 0.2 0.04 1.4 1.8 1.2 4.5 0.4 0.5 0.5 0.5 0.6 0.4 0.5 0.009 160 0.2 0.04 1.4 1.8 1.2 4.5 0.4 0.5 0.5 0.5 0.6 0.4 0.5 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.6 0.5 0.5 0.6 0.5 0.5 0.6 0.5 0.5 0.6 0.5																		
34SB0209 2003 Statesboro GA 104 LSD(.05) 0.009 160 0.2 0.04 1.4 1.8 1.2 4.5 0.4 0.5 34SB0209 2003 Statesboro GA 105 CV 1.873 12 3.2 2.98 1.4 4.6 6.7 9.0 19.7 29.9 34SB0209 2003 Statesboro GA 106 N 4.000 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 23TF0213 2002 Tifton GA 27 02T57R 0.393 1594 4.4 1.17 87.4 28.8 14.7 2.8 3.1 2.3 23TF0213 2002 Tifton GA 40 DP 5415 RR 0.408 1664 4.5 1.09 85.5 28.1 14.6 2.0 1.8 1.5 23TF0213 2002 Tifton GA 101 GMEAN 0.412 1611 4.2 1.14 84.9 28.9 13.6 1.8 2.9 2.1 23TF0213 2002 Tifton GA 104 LSD(.05) 0.016 167 0.2 0.02 2.1 1.3 0.8 0.5 0.6 0.4 23TF0213 2002 Tifton GA 105 CV 3.387 9 3.5 1.53 2.1 3.9 4.7 26.1 16.6 15.1 23TF0213 2002 Tifton GA 106 N 4.000 4.0																		
34SB0209 2003 Statesboro GA 105 CV 1.873 12 3.2 2.98 1.4 4.6 6.7 9.0 19.7 29.9																		
34SB0209 2003 Statesboro GA 106 N 4.000 4 4.0 4.00 4.0 4.0 4.0 4.0 4.0 4.0 4.0 23TF0213 2002 Tifton GA 40 DP 5415 RR 0.408 1664 4.5 1.09 85.5 28.1 14.6 2.0 1.8 1.5 2.3 23TF0213 2002 Tifton GA 40 DP 5415 RR 0.408 1664 4.5 1.09 85.5 28.1 14.6 2.0 1.8 2.9 2.1 23TF0213 2002 Tifton GA 101 GMEAN 0.412 1611 4.2 1.14 84.9 28.9 13.6 1.8 2.9 2.1 23TF0213 2002 Tifton GA 104 LSD(.05) 0.016 167 0.2 0.02 2.1 1.3 0.8 0.5 0.6 0.4 23TF0213 2002 Tifton GA 106 N 4.000 4 4.0 4.																		
23TF0213 2002 Tifton GA 27 02T57R 0.393 1594 4.4 1.17 87.4 28.8 14.7 2.8 3.1 2.3 23TF0213 2002 Tifton GA 40 DP 5415 RR 0.408 1664 4.5 1.09 85.5 28.1 14.6 2.0 1.8 1.5 23TF0213 2002 Tifton GA 101 GMEAN 0.412 1611 4.2 1.14 84.9 28.9 13.6 1.8 2.9 2.1 23TF0213 2002 Tifton GA 104 LSD(.05) 0.016 167 0.2 0.02 2.1 1.3 0.8 0.5 0.6 0.4 23TF0213 2002 Tifton GA 105 CV 3.387 9 3.5 1.53 2.1 3.9 4.7 26.1 16.6 15.1 23TF0213 2002 Tifton GA 106 N 4.000 4.00 4.0 4																		
23TF0213 2002 Tifton GA 40 DP 5415 RR 0.408 1664 4.5 1.09 85.5 28.1 14.6 2.0 1.8 1.5 23TF0213 2002 Tifton GA 104 LSD(.05) 0.016 167 0.2 0.02 2.1 1.3 0.8 0.5 0.6 0.4 23TF0213 2002 Tifton GA 105 CV 3.387 9 3.5 1.53 2.1 3.9 4.7 26.1 16.6 15.1 23TF0213 2002 Tifton GA 106 N 4.000 4 4.0 34TF0203 2003 Tifton GA 106 DP 5415 RR 0.412 1029 4.0 1.11 1.16 82.9 32.9 13.6 57.8 4.0 1.3 1.0 34TF0203 2003 Tifton GA 106 DP 5415 RR 0.412 1029 4.0 1.11 1.16 82.9 32.9 13.6 57.8 4.0 1.0 1.0 34TF0203 2003 Tifton GA 104 LSD(.05) 0.008 157 0.2 0.03 1.1 1.5 1.0 4.2 0.7 0.5 0.2 34TF0203 2003 Tifton GA 104 LSD(.05) 0.008 157 0.2 0.03 1.1 1.5 1.0 4.2 0.7 0.5 0.2 34TF0203 2003 Tifton GA 105 CV 1.615 11 4.0 2.21 1.2 4.0 6.7 6.2 19.5 29.1 16.0 34TF0203 2003 Tifton GA 106 N 4.000 4.00 4.00 4.															4.0	~ ~ ~		
23TF0213 2002 Tifton GA 101 GMEAN 0.412 1611 4.2 1.14 84.9 28.9 13.6 1.8 2.9 2.1 23TF0213 2002 Tifton GA 105 CV 3.387 9 3.5 1.53 2.1 3.9 4.7 26.1 16.6 15.1 23TF0213 2002 Tifton GA 106 N 4.000 4 4.0																		
23TF0213 2002 Tifton GA 104 LSD(.05) 0.016 167 0.2 0.02 2.1 1.3 0.8 0.5 0.6 0.4																		
23TF0213 2002 Tifton GA 105 CV 3.387 9 3.5 1.53 2.1 3.9 4.7 26.1 16.6 15.1 23TF0213 2002 Tifton GA 106 N 4.000 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
23TF0213 2002 Tifton GA 106 N 4.00 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 34TF0203 2003 Tifton GA 16 DP 5415 RR 0.412 1029 4.0 1.11 81.6 81.2 13.7 63.3 4.0 1.0 1.0 34TF0203 2003 Tifton GA 101 GMEAN 0.417 1247 4.1 1.14 82.7 32.2 12.8 57.3 3.1 1.4 1.0 34TF0203 2003 Tifton GA 104 LSD(.05) 0.008 157 0.2 0.03 1.1 1.5 1.0 4.2 0.7 0.5 0.2 0.3									-									
34TF0203 2003 Tifton GA 16 DP 5415 RR 0.412 1029 4.0 1.11 81.6 82.9 32.9 13.6 57.8 4.0 1.3 1.0 34TF0203 2003 Tifton GA 101 GMEAN 0.417 1247 4.1 1.14 82.7 32.2 12.8 57.3 3.1 1.4 1.0 34TF0203 2003 Tifton GA 104 LSD(.05) 0.008 157 0.2 0.03 1.1 1.5 1.0 4.2 0.7 0.5 0.2 34TF0203 2003 Tifton GA 105 CV 1.615 11 4.0 2.21 1.2 4.0 6.7 6.2 19.5 29.1 16.0 34TF0203 2003 Tifton GA 106 N 4.000 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
34TF0203 2003 Tifton GA 16 DP 5415 RR 0.412 1029 4.0 1.11 81.6 31.2 13.7 63.3 4.0 1.0 1.0 4.0 1.0 1.0 34TF0203 2003 Tifton GA 101 GMEAN 0.417 1247 4.1 1.14 82.7 32.2 12.8 57.3 3.1 1.4 1.0 34.1 1.0 34.0 1.0 4.															E7 0			
34TF0203 2003 Tifton GA 101 GMEAN 0.417 1247 4.1 1.14 82.7 32.2 12.8 57.3 3.1 1.4 1.0 34TF0203 2003 Tifton GA 104 LSD(.05) 0.008 157 0.2 0.03 1.1 1.5 1.0 4.2 0.7 0.5 0.2 34TF0203 2003 Tifton GA 105 CV 1.615 11 4.0 2.21 1.2 4.0 6.7 6.2 19.5 29.1 16.0 34TF0203 2003 Tifton GA 106 N 4.000 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
34TF0203 2003 Tifton GA 104 LSD(.05) 0.008 157 0.2 0.03 1.1 1.5 1.0 4.2 0.7 0.5 0.2 34TF0203 2003 Tifton GA 105 CV 1.615 11 4.0 2.21 1.2 4.0 6.7 6.2 19.5 29.1 16.0 34TF0203 2003 Tifton GA 106 N 4.000 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
34TF0203 2003 Tifton GA 105 CV 1.615 11 4.0 2.21 1.2 4.0 6.7 6.2 19.5 29.1 16.0 34TF0203 2003 Tifton GA 106 N 4.000 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0					-													
34TF0203 2003 Tifton GA 106 N 4.000 4 4.0																-		
34UN0207 2003 Unadilla GA 11 02T57R 0.387 1011 4.1 1.16 83.4 32.1 13.7 33.8 1.8 1.5 34UN0207 2003 Unadilla GA 16 DP 5415 RR 0.387 1083 4.2 1.11 83.2 32.3 14.2 36.3 1.5 1.0 34UN0207 2003 Unadilla GA 101 GMEAN 0.411 1139 4.3 1.12 83.1 32.0 13.1 35.2 2.1 1.5 34UN0207 2003 Unadilla GA 104 LSD(.05) 0.008 160 0.3 0.03 1.1 1.7 0.9 3.8 0.5 0.5 34UN0207 2003 Unadilla GA 105 CV 1.604 12 5.6 2.17 1.1 4.6 5.7 9.1 19.7 29.4 34UN0207 2003 Unadilla GA 106 N 4.000 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.																-		
34UN0207 2003 Unadilla GA 16 DP 5415 RR 0.387 1083 4.2 1.11 83.2 32.3 14.2 36.3 1.5 1.0 34UN0207 2003 Unadilla GA 101 GMEAN 0.411 1139 4.3 1.12 83.1 32.0 13.1 35.2 2.1 1.5 34UN0207 2003 Unadilla GA 104 LSD(.05) 0.008 160 0.3 0.03 1.1 1.7 0.9 3.8 0.5 0.5 34UN0207 2003 Unadilla GA 105 CV 1.604 12 5.6 2.17 1.1 4.6 5.7 9.1 19.7 29.4 34UN0207 2003 Unadilla GA 106 N 4.000 4 0.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																7.0	_	
34UN0207 2003 Unadilla GA 101 GMEAN 0.411 1139 4.3 1.12 83.1 32.0 13.1 35.2 2.1 1.5 34UN0207 2003 Unadilla GA 104 LSD(.05) 0.008 160 0.3 0.03 1.1 1.7 0.9 3.8 0.5 0.5 34UN0207 2003 Unadilla GA 105 CV 1.604 12 5.6 2.17 1.1 4.6 5.7 9.1 19.7 29.4 34UN0207 2003 Unadilla GA 106 N 4.000 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
34UN0207 2003 Unadilla GA 104 LSD(.05) 0.008 160 0.3 0.03 1.1 1.7 0.9 3.8 0.5 0.5 34UN0207 2003 Unadilla GA 105 CV 1.604 12 5.6 2.17 1.1 4.6 5.7 9.1 19.7 29.4 34UN0207 2003 Unadilla GA 106 N 4.000 4 4.0 <td></td>																		
34UN0207 2003 Unadilla GA 105 CV 1.604 12 5.6 2.17 1.1 4.6 5.7 9.1 19.7 29.4 34UN0207 2003 Unadilla GA 106 N 4.000 4 4.0 4.00 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
34UN0207 2003 Unadilla GA 106 N 4.000 4 4.0 4.00 4.0 4.0 <							· ·											
34WC0211 2003 Willacoochee (treated) GA 11 02T57R 0.404 1277 4.6 1.15 84.1 31.0 12.9 38.3 1.8 1.0 34WC0211 2003 Willacoochee (treated) GA 16 DP 5415 RR 0.413 1345 4.5 1.11 83.5 32.1 13.9 37.0 1.8 1.0 34WC0211 2003 Willacoochee (treated) GA 101 GMEAN 0.422 1517 4.4 1.13 83.4 32.1 12.7 40.2 2.0 1.2 34WC0211 2003 Willacoochee (treated) GA 104 LSD(.05) 0.005 107 0.3 0.02 1.0 1.3 0.7 3.2 0.3 0.3 34WC0211 2003 Willacoochee (treated) GA 105 CV 1.001 6 5.1 1.66 1.0 3.3 4.6 6.7 14.6 24.2 34WC0211 2003 Willacoochee (treated) GA 106 N 4.000 4 0.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0 34WU0213 2003 Willacoochee (Untreated) GA 11 02T57R 0.388 1054 4.2 1.14 83.5 27.8 13.8 44.3 1.8 1.3 34WU0213 2003 Willacoochee (Untreated) GA 16 DP 5415 RR 0.393 923 4.4 1.10 83.2 27.6 15.2 45.3 1.3 1.0																		-
34WC0211 2003 Willacoochee (treated) GA 16 DP 5415 RR 0.413 1345 4.5 1.11 83.5 32.1 13.9 37.0 1.8 1.0 34WC0211 2003 Willacoochee (treated) GA 101 GMEAN 0.422 1517 4.4 1.13 83.4 32.1 12.7 40.2 2.0 1.2 34WC0211 2003 Willacoochee (treated) GA 104 LSD(.05) 0.005 107 0.3 0.02 1.0 1.3 0.7 3.2 0.3 0.3 34WC0211 2003 Willacoochee (treated) GA 106 N 4.001 6 5.1 1.66 1.0 3.3 4.6 6.7 14.6 24.2 34WU0213 2003 Willacoochee (Untreated) GA 11 02T57R 0.388 1054 4.2 1.14 83.5 27.8 13.8 44.3 1.8 1.3 34WU0213 2003 Willacoochee (Untreated) GA 16 DP 5415 RR 0.393 923 4.4 1.10 83.2 27.6 15.2 45.3 1.3 1.0				e (treated)														
34WC0211 2003 Willacoochee (treated) GA 101 GMEAN 0.422 1517 4.4 1.13 83.4 32.1 12.7 40.2 2.0 1.2 34WC0211 2003 Willacoochee (treated) GA 104 LSD(.05) 0.005 107 0.3 0.02 1.0 1.3 0.7 3.2 0.3 0.3 34WC0211 2003 Willacoochee (treated) GA 105 CV 1.001 6 5.1 1.66 1.0 3.3 4.6 6.7 14.6 24.2 34WU0213 2003 Willacoochee (Untreated) GA 11 02T57R 0.388 1054 4.2 1.14 83.5 27.8 13.8 44.3 1.8 1.3 34WU0213 2003 Willacoochee (Untreated) GA 16 DP 5415 RR 0.393 923 4.4 1.10 83.2 27.6 15.2 45.3 1.3 1.0				•														
34WC0211 2003 Willacoochee (treated) GA 104 LSD(.05) 0.005 107 0.3 0.02 1.0 1.3 0.7 3.2 0.3 0.3 0.3 0.3 0.0 0.0 0.0 0.0 0.0 0.0				` '														
34WC0211 2003 Willacoochee (treated) GA 105 CV 1.001 6 5.1 1.66 1.0 3.3 4.6 6.7 14.6 24.2 34WC0211 2003 Willacoochee (treated) GA 106 N 4.000 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
34WC0211 2003 Willacoochee (treated) GA 106 N 4.00 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		
34WU0213 2003 Willacoochee (Untreated) GA 11 02T57R 0.388 1054 4.2 1.14 83.5 27.8 13.8 44.3 1.8 1.3 34WU0213 2003 Willacoochee (Untreated) GA 16 DP 5415 RR 0.393 923 4.4 1.10 83.2 27.6 15.2 45.3 1.3 1.0																		
34WU0213 2003 Willacoochee (Untreated) GA 16 DP 5415 RR 0.393 923 4.4 1.10 83.2 27.6 15.2 45.3 1.3 1.0																		
······································																		
34WU0213 2003 Willacoochee (Untreated) GA 104 LSD(.05) 0.011 173 0.3 0.03 0.8 1.1 0.7 4.1 0.4 0.4																		
34WU0213 2003 Willacoochee (Untreated) GA 105 CV 2.381 12 6.0 2.13 0.9 3.3 4.3 8.3 19.6 27.9				,														
34WU0213 2003 Willacoochee (Untreated) GA 106 N 4.000 4 4.0 4.0 4.0 4.0 4.0 4.0 4.0 4.0																		

Exhibit C. Table C1 was derived from the following tests conducted by Delta and Pine Land Co.

Test Name					đì	Percent	-int/Acre	Micronaire	ht	Uniformity	ıgth	Elongation	Plant Height (In)	Maturity (Rate)	String Out (Rate)	Fall Out (Rate)
Test	Year	City	State	Entry	Name	Lint	Lint/	Micro	Lenght) E	Strength	Elon	Plant	Matu	Strin	Fall (
23NE0416	2002	Newellton	LA	27	02T57R	0.406	1068	4.8	1.17	86.7	31.5	13.4			2.7	2.3
23NE0416		Newellton	LA		DP 5415 RR	0.409									1.6	2.2
23NE0416		Newellton	LA		GMEAN		1240								2.8	2.2
23NE0416		Newellton	LA		LSD(.05)	0.011			0.03	3.4	2.0	1.4			0.6	0.9
23NE0416		Newellton	LA	105		1.947			1.80	2.9	4.8	7.9			18.9	
23NE0416		Newellton	LA	106		3.000			3.00	3.0	3.0	3.0	~~~		4.0	2.0
34NE0403		Newellton	LA		02T57R	0.410							37.6			4.1
34NE0403 34NE0403		Newellton Newellton	LA LA		DP 5415 RR GMEAN											2.9 3.4
34NE0403		Newellton	LA		LSD(.05)	0.424			0.02	1.1	1.3	0.7	2.6			0.5
34NE0403		Newellton	LA	105		1.524			1.51	1.1	3.7	5.1	5.8			12.7
34WI0402		Wisner	LA		02T57R	0.424								3.6	3.6	3.1
34WI0402		Wisner	LA		DP 5415 RR	0.422					29.9			3.5	3.5	1.9
34WI0402		Wisner	LA		GMEAN	0.435								3.6	3.6	3.1
34WI0402		Wisner	LA		LSD(.05)	0.008			0.02	1.0	1.6	0.8	2.5	0.7	0.7	0.4
34WI0402	2003	Wisner	LA	105		1.632			1.63	1.0	4.3	5.4		15.6	15.6	12.0
23PB0417	2002	Panther Burn (treated)	MS	27	02T57R	0.394		4.3		87.0	33.5	14.1		2.9	3.8	2.9
23PB0417		Panther Burn (treated)	MS		DP 5415 RR	0.401	1191	4.5	1.14	82.4	31.0	14.3		3.5	2.4	2.2
23PB0417		Panther Burn (treated)	MS	101	GMEAN	0.406	1169	4.5	1.18	85.3	31.5	12.7		3.0	3.3	2.8
23PB0417	2002	Panther Burn (treated)	MS	104	LSD(.05)	0.010	136	0.2	0.03	2.5	1.2	0.8		0.7	0.6	0.7
23PB0417		Panther Burn (treated)	MS	105		1.737			1.69	2.1	2.9	4.9		18.7		21.2
23PB0417		Panther Burn (treated)	MS	106		3.000			3.00	3.0	3.0	3.0		4.0	4.0	4.0
34PB0404		Panther Burn (treated)	MS		02T57R	0.404				84.3						2.5
34PB0404		Panther Burn (treated)	MS		DP 5415 RR	0.403										1.5
34PB0404		Panther Burn (treated)	MS		GMEAN	0.420										2.6
34PB0404		Panther Burn (treated)	MS		LSD(.05)	0.018			0.03	1.0	1.3	1.0				0.5
34PB0404		Panther Burn (treated)	MS	105		3.576			2.40	1.0	3.4	6.8			0.0	16.0
23PU0418 23PU0418		Panther Burn (untreated)	MS		02T57R	0.400				83.0		14.5			3.9 2.5	3.2 2.3
23PU0418		Panther Burn (untreated) Panther Burn (untreated)	MS MS		DP 5415 RR GMEAN	0.408 0.416	827 895				26.3 27.9				3.3	3.0
23PU0418		Panther Burn (untreated)	MS		LSD(.05)	0.009			0.03	2.9	1.4	1.0			0.7	0.7
23PU0418		Panther Burn (untreated)	MŞ	105		1.566			1.94	2.6	3.7	5.9				17.4
23PU0418		Panther Burn (untreated)	MS	106		3.000			3.00	3.0	3.0	3.0			3.0	3.0
34PU0405		Panther Burn (untreated)	MS		02T57R	0.400				84.1	33.1	13.5				3.0
34PU0405		Panther Burn (untreated)	MS		DP 5415 RR	0.401										2.0
34PU0405	2003 [Panther Burn (untreated)	MŞ	101	GMEAN	0.415	1248	4.4	1.13	83.6	33.1	12.6				2.6
34PU0405	2003 !	Panther Burn (untreated)	MS	104	LSD(.05)	0.008	205	0.2	0.03	0.9	1.8	1.3				0.7
34PU0405	2003 I	Panther Burn (untreated)	MS	105	CV	1.467	12	3.8	1.95	8.0	4.0	7.7				18.2
34SM0401	2003 \$	Scott	MS	11	02T57R	0.411								2.8	2.8	3.7
34SM0401	2003 \$	Scott	MS	16	DP 5415 RR	0.400								3.4	3.4	1.9
34SM0401	2003 \$		MS		GMEAN	0.419								3.4	3.4	3.0
34SM0401	2003 \$		MS		LSD(.05)	0.011			0.02		1.2	0.7	4.1	8.0	8.0	0.5
34SM0401	2003 5		MS	105		2.182			1.79	1.0	3.0	4.5			20.2	15.1
23HV0113		-lartsville	SC		02T57R	0.387								3.6	3.1	
23HV0113		Hartsville	SC		DP 5415 RR	0.384					30.8			3.8	4.5	
23HV0113		Hartsville	SC		GMEAN	0.393					31.8			3.3	3.0	
23HV0113		Hartsville	SC		LSD(.05)	0.015	149			2.9	1.9	1.3	3.4	0.5	0.5	
23HV0113		Hartsville Hartsville	SC	105		3.139			2.84	3.0	5.0		19.9			
23HV0113	2002 F	Hartsville	SC	106	N	4.000	4	4.0	4.00	4.0	4.0	4.0	4.0	4.0	4.0	

Exhibit C. Table C1 was derived from the following tests conducted by Delta and Pine Land Co.

Test Name	Year		City	State	Entry	Name	Lint Percent	Lint/Acre	Micronaire	Lenght	Uniformity	Strength	Elongation	Plant Height (In)	Maturity (Rate)	String Out (Rate)	Fall Out (Rate)
34HV0109	2003	Hartsville		SC	11	02T57R	0.371	1132	3.7	1.19	84.4	33.8	14.1	37.4	2.6	2.5	1.0
34HV0109	2003	Hartsville		SC	16	DP 5415 RR	0.374	1254	4.2	1.14	83.4	32.8	14.6	38.8	3.5	2.5	1.0
34HV0109	2003	Hartsville		SC	101	GMEAN	0.388	1193	4.1	1.16	84.2	33.6	13.0	37.7	2.6	2.7	1.1
34HV0109	2003	Hartsville		SC	104	LSD(.05)	0.014	227	0.3	0.03	0.9	3.4	1.1	6.1	0.6	8.0	0.4
34HV0109	2003	Hartsville		SC	105	CV	0.030	16	5.4	2.07	0.9	8.5	7.3	13.6	18.3	23.8	28.3
23HI0536	2002	Haskell		ΤX	27	02T57R	0.377	1364	3.3	1.17	76.7	28.2	14.5	44.3		2.3	2.3
23HI0536	2002	Haskell		TX	40	DP 5415 RR	0.383	1391	3.3	1.10	75.4	26.7	14.7	47.0		2.0	1.7
23HI0536	2002	Haskell		TX	101	GMEAN	0.393	1519	3.4	1.14	77.0	27.3	14.4	46.4		2.7	2.0
23HI0536	2002	Haskeli		TX	104	LSD(.05)	0.013	187	0.2	0.04	2.9	1.9	1.3	3.7		0.6	0.7
23HI0536	2002	Haskell		TX	105	CV	2.436	9	3.7	2.30	2.2	4.2	5.3	5.8		17.3	23.8
23HI0536	2002	Haskell		TX	106	N	3.000	. 3	2.0	2.00	2.0	2.0	2.0	3.0		3.0	3.0
2047000156	2003	LRG		TX	9	02T57R	0.351	1091	4.9	1.14	83.0	29.4					
2047000156	2003	LRG		TX	35	DP 5415 RR	0.353	947	5.0	1.08	82.0	28.5					
2047000156	2003	LRG		TX	101	GMEAN	0.356	1082	4.7	1.10	82.3	29.0					

EXHIBIT C. Table C2. Plant Mapping Data. Data taken at Maricopa, AZ. in 2003.

	E 5	Cm to First Fruiting No.of Nodes To 1st	NO.OT N	des To 1st	Mature	Mature Plant Height					Nimbo	Number of Coode	3	7.550
Replication	B	Branch	Fruiting	g Branch		cm	Lin	Lint Index	See	Seed Index		Dor Boll		Grains Or Seed
	007570	00 2442 00	00TC10	1777	-						2		5100	COLION Per DOIL
	17C120	UZIS/R DP 54 IS HR UZIS/H	UZ I S/H	UP 5415 KK	0215/R	P 5415 HR 02T57R DP 5415 RR	02T57R	02T57R DP 5415 RR	02T57R	02T57R DP 5415 RRI 02T57RI DP 5415 RRI	02T57R	DP 5415 RR	02T57R	02T57R
_	20.0	19.0	6.0	9	1000	118.0	0 3	ç L	ļ	١				
•					2:32	2.0	3	5.5	7.0	10.0	2.5	30.5	6.4	4.6
N	18.0	18.0	7.0	6.0	94.0	107.0	6.3	5.7	10.6	2.6	28.7	30.7	1	10,
m	19.0	19.0	9	9	1100	4070	,						,	5
			3	2	25	0.701	4.0	0.0	5.0	9.2	29.0	34.6	4.6	200
4	19.0	22.0	0.9	0.9	117.0	89.0	6.5	5.6	10.3	46	30.4	30.5	1	10,
Амегале	00,	107	١	١	֭֭֭֓֞֜֜֓֟֝֓֓֓֟֟֜֜֟֓֓֓֓֟֟֜֟֓֓֓֓֓֓֓֓֓֟֜֜֓֓֓֓֓֡֓֡֓֡֓֜֡֓֓֡֓֡֓֡֡֡					;		0.0	1.7	4.0
200	2.0	C.P		۰. و.	8.60	104.8	6.4	5.6	10.4	9.6	28.4	31.5	4.8	4.8
2		4		4		4		_				} ,	?	?.
Paired T-Test D(/-t)		0000						r ;		+		+		4
ייייי ביייייי בייייייייייייייייייייייי		7007		081.0		0.464		0.00		0.015		0.038		0.446
Difference (02T57R-DP 5415 RR)		-0.5 NS		0.3 NS		1 0 NS		* ~ ~		* 0 0		, ,		
)	_	3		9		7		7.

REPRODUCE LOCALLY. Include form number and edition date on al	Il reproductions.	ORM APPROVED - OMB No. 0581-005
U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE EXHIBIT E STATEMENT OF THE BASIS OF OWNERSHIP	Application is required in order to detectificate is to be issued (7 U.S.C. 2-confidential until the certificate is issued	ermine if a plant variety protection 421). The information is held
1. NAME OF APPLICANT(S) D&PL TECHNOLOGY HOLDING COMPANY, LLC.	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME
ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country)	02T57R 5. TELEPHONE (Include area code)	6. FAX (Include area code)
P.O. BOX 157 SCOTT, MISSISSIPPI 38772	662.742.4141 7. PVPO NUMBER 2004001	662.742.3182
8. Does the applicant own all rights to the variety? Mark an "X" in th		17
9. Is the applicant (individual or company) a U.S. national or a U.S. b	pased company? If no, give name of co	ountry. YES NO
10. Is the applicant the original owner? X	NO If no, please answer <u>one</u> o	of the following:
 a. If the original rights to variety were owned by individual(s), is (YES 	(are) the original owner(s) a U.S. Nationa NO If no, give name of countr	
b. If the original rights to variety were owned by a company(ies) YES	, is (are) the original owner(s) a U.S. bas NO If no, give name of countr	
11. Additional explanation on ownership (If needed, use the reverse to	for extra space):	
02T57R contains a proprietary gene, patented which encodes a protein which provides tolera	by the Monsanto Company a nce to glyphosate herbicide i	and licensed to D&PL, in cotton cultivars.
PLEASE NOTE:	SALE HING BERRETON AND CO	***************************************
Plant variety protection can only be afforded to the owners (not licens		
 If the rights to the variety are owned by the original breeder, that penaltional of a country which affords similar protection to nationals of 	erson must be a U.S. national, national of the U.S. for the same genus and specie	of a UPOV member country, or es.
2. If the rights to the variety are owned by the company which employ nationals of a UPOV member country, or owned by nationals of a c	red the original breeder(s), the company country which affords similar protection to	must be U.S. based, owned by a nationals of the U.S. for the same

- genus and species.
- 3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or familial status. (Not all prohibited bases apply to all programs). Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provide and employer.